

Appendix V

DCCKI Code of Connection and DCCKI Repository Code of Connection

Contents

1. INTRODUCTION	2
2. GENERAL OBLIGATIONS	2
3. THE DCCKI INTERFACE CODE OF CONNECTION	2
Use of a DCCKI Infrastructure Certificate on a shared DCC Gateway Connection	3
4. THE DCCKI REPOSITORY INTERFACE CODE OF CONNECTION	3
Connection Mechanism	3
ANNEX A	3
DEFINITIONS	3

1. INTRODUCTION

- 1.1 This DCCKI Code of Connection and DCCKI Repository Code of Connection is the document required by Section L13.14 and Section L13.28 of the Code.

2. GENERAL OBLIGATIONS

- 2.1 Each DCCKI Authorised Subscriber may connect to the DCCKI Service Interface or the DCCKI Repository Interface only via a DCC Gateway Connection and for the purposes set out in the Code and this DCCKI Code of Connection.
- 2.2 The DCC shall ensure that the any URL and IP address of the DCCKI Service Interface remains constant.
- 2.3 The DCC shall ensure that the URL and the IP address of the DCCKI Repository Interface remains constant.

3. THE DCCKI INTERFACE CODE OF CONNECTION

- 3.1 Not used.
- 3.2 Not used.
- 3.3 Not used.
- 3.4 Not used.
- 3.5 Not used.
- 3.6 Not used.
- 3.7 Not used.
- 3.8 Not used
- 3.9 Not used.

3.10 Not used.

3.11 Not used.

Use of a DCCKI Infrastructure Certificate on a shared DCC Gateway Connection

3.12 DCCKI Subscribers shall notify the DCC, via the means set out on the DCC Website, of each other Party or RDP that is entitled to share (or no longer entitled to share) use of a TLS connection established using a DCCKI Infrastructure Certificate that has been Issued to that DCCKI Subscriber.

3.13 The DCC shall restrict access to the relevant DCC Interfaces, as documented in the appropriate interface specification, to DCCKI Subscribers and Parties or RDPs who have been notified to the DCC as having the entitlement to use a TLS connection established using a DCCKI Infrastructure Certificate Issued to a DCCKI Subscriber.

4. THE DCCKI REPOSITORY INTERFACE CODE OF CONNECTION

Connection Mechanism

4.1 Each Party and RDP may connect to the DCCKI Repository Interface in accordance with the DCCKI Repository Interface Design Specification.

4.2 Parties and RDPs shall use a Supported Web Browser to access the DCCKI Repository Interface.

4.3 The DCC shall provide the URL and IP address for the DCCKI Repository Interface to the DCCKI ARO of each DCCKI Authorised Subscriber.

ANNEX A

DEFINITIONS

In this document, except where the context otherwise requires:

- expressions defined in Section A of the Code (Definitions and Interpretation) have the same meaning as is set out in that section; and
- any expressions not defined here or in Section A of the Code have the meaning given to them in the DCCKI Certificate Policy, the DCCKI Registration Authority Policies and Procedures or the Self Service Access Control Interface Specification.

Supported Web Browser	a web browser version that the DCC supports for use with the Self-Service Interface as listed, and as updated from time to time, in the DCC Browser Policy and published on the DCC Website
------------------------------	---