

This document is classified as **Clear** in accordance with the Panel Information Policy. Recipients can distribute this information to the world, there is no limit on disclosure. Information may be shared without restriction subject to copyright.

MP285 ‘Radio Teleswitch Service switch off’

Conclusions Report – version 2.0

About this document

This document summarises the responses received to the second Modification Report Consultation regarding approval or rejection of this modification.

Summary of conclusions

Modification Report Consultation

SECAS received seven responses to the second Modification Report Consultation. Six of the seven respondents believed that the modification should be approved. The seventh respondent did not provide a view of whether the modification should be approved or rejected. The respondents that did believe the modification should be approved, considered the modification better facilitated SEC Objective (a)¹.

¹ facilitate the efficient provision, installation, and operation, as well as interoperability, of Smart Metering Systems at Energy Consumers’ premises within Great Britain.

Modification Report Consultation responses

Summary of responses

All respondents believed the modification should be approved as it better facilitates SEC Objective (a). Two respondents believed that the Proposed Solution of installing 4G Communications Hubs (CHs) in the Northern Region would increase the success of smart installations. Two other respondents highlighted the benefits of the modification, seeing as Radio Teleswitch (RTS) is due to end imminently. Having the Proposed Solution in place would facilitate the installation of functioning smart meters. Two respondents approved the modification without providing further comments. One respondent did not provide a view of whether the modification should be approved or rejected.