

This document is classified as **White** in accordance with the Panel Information Policy. Information can be shared with the public, and any members may publish the information, subject to copyright.

SECMP0060 ‘Amend Requirements to remove ‘Pending’ Communications Hubs from SMI’

Annex B

Legal Text – version 0.2

About this document

This document contains the redlined changes to the SEC that would be required to deliver this Modification Proposal.

These changes have been drafted against SEC Version 6.3.

Appendix AC 'Inventory, Enrolment and Withdrawal'

Amend Section 7.2 as follows:

7 Reactivating Decommissioned, Withdrawn or Suspended Devices

- 7.1 Where the Responsible Supplier wishes to change the SMI Status of any Device (other than a Type 2 Device) from 'decommissioned', 'whitelisted' or 'withdrawn' to 'pending', then the Responsible Supplier shall send the DCC a Service Request to that effect. Provided the Device in question is of a Device Model that is identified in the Certified Products List, the DCC shall change the SMI Status to 'pending'.
- 7.2 Where the SMI Status of a Device has remained as 'pending' for ~~12~~ 36 months, then the DCC shall remove the Device from the Smart Metering Inventory.
- 7.3 Where a Device ceases to be Suspended (either as a result of the Device Model being added to the Certified Product List, or the Device's Device Model being modified such that it is on the Certified Product List), the DCC shall change the SMI Status of that Device to the status it held immediately prior to its Suspension.