

This document is classified as **White** in accordance with the Panel Information Policy. Information can be shared with the public, and any members may publish the information, subject to copyright.



MP202

‘Enduring Solution for SMETS1 and SMETS2+ PPMIDs’

Modification Report

Version 0.6

7 June 2023



About this document

This document is a Modification Report. It currently sets out the background, issue, solution, impacts, costs, implementation approach and progression timetable for this modification, along with any relevant discussions, views and conclusions. This document will be updated as this modification progresses.

Contents

1. Summary.....	3
2. Issue.....	3
3. Solution	5
4. Impacts	6
5. Costs	8
6. Implementation approach	9
7. Assessment of the proposal	9
8. Case for change.....	10
Appendix 1: Progression timetable	12
Appendix 2: Glossary	13

This document also has five annexes:

- **Annex A** contains the business requirements for the solution.
- **Annex B** contains the redlined changes to the Smart Energy Code (SEC) required to deliver the Proposed Solution.
- **Annex C** contains the full Data Communications Company (DCC) Impact Assessment response.
- **Annex D** contains the collated responses to the Refinement Consultation.
- **Annex E** contains the collated responses to the Request for Information.

Contact

If you have any questions on this modification, please contact:

Ben Giblin

020 3934 8646

ben.giblin@gemserv.com

1. Summary

This proposal has been raised by David Walsh from the DCC.

The SEC currently differentiates between Smart Metering Equipment Technical Specifications (SMETS) 1 and SMETS2+ Devices and is drafted in a manner so that a Device can be either SMETS1 or SMETS2+, but not both. Therefore, the DCC Systems are designed on the premise that the Devices are exclusively either SMETS1 or SMETS2+ Devices.

The DCC has several Users who have indicated they would like to use the same Prepayment Interface Device (PPMID) for both SMETS1 and SMETS2+ purposes. Where a PPMID is capable of being used for both SMETS1 and SMETS2+ purposes, the DCC is unable to identify which version of SMETS should be used by the DCC when communicating with these Devices. This results in the DCC being unable to determine whether to construct a Great Britain Companion Specification (GBCS) command for a SMETS2+ Device or forward a Service Request to the SMETS1 Service Provider (S1SP) for a SMETS1 Device.

The Proposed Solution involves having two entries for each Device Model version stored in the Central Products List (CPL), one for SMETS1 and one for SMETS2+. This allows Devices to be pre-notified as SMETS1 or SMETS2+, meaning one type of PPMID can be used for all metering installations.

This modification will impact Suppliers, Meter Installers, The Smart Energy Code Administrator and Secretariat (SECAS), Device Manufacturers and the DCC. The Impact Assessment showed costs of £503,552 if this modification was implemented in the June 2024 SEC Release. If MP202 was implemented as a standalone modification, it would cost £758,522. This is a Self-Governance modification.

2. Issue

What are the current arrangements?

The DCC has established that some models of PPMID can work as both a SMETS1 Device and a SMETS2+ Device. The SEC currently differentiates between SMETS1 and SMETS2+ Devices and is drafted so that a Device can be either SMETS1 or SMETS2+, but not both. This means that a PPMID cannot currently be treated as both a SMETS1 PPMID and a SMETS2+ PPMID, even if it is physically able to behave as such.

SEC Appendix Z section 3:13 states:

Where a PPMID of a particular type is capable of forming part of either a SMETS1 Smart Metering System or a SMETS2+ Smart Metering System, any Device Model added to the Central Products List shall:

- (a) *insofar as it relates to PPMIDs of that type forming part of SMETS2+ Smart Metering Systems, be the Manufacturer of the PPMID, its model, its hardware version and its firmware version; and*
- (b) *insofar as it relates to PPMIDs of that type forming part of SMETS1 Smart Metering Systems, be the Manufacturer of the PPMID, its model, its hardware version and a*

value representing its firmware version that is different to the firmware version of the PPMID of that type that forms part of a SMETS2+ Smart Metering System.

PPMIDs must be pre-notified to the DCC by the Supplier. This pre-notification must include the SMETS Version and this determines whether the PPMID must be used in a SMETS1 or SMETS2+ Smart Metering System (SMS). Starting at the time of pre-notifying the PPMID, the Supplier or the installer must currently mark and track the PPMID accordingly until it is fully installed in the target SMS.

Tactical interim solution

In July 2021, the DCC consulted on potential solutions to this issue¹. Following stakeholder feedback, the DCC stated in its response² that it would implement a tactical interim solution and raise a SEC modification to enable the industry to assess the need for an enduring solution.

The DCC's tactical interim solution involves creating distinct entries in the CPL for both the SMETS1 and SMETS2+ with a differentiating firmware version. The SMETS2+ PPMID CPL entry uses the real firmware version whereas the SMETS1 PPMID CPL entry uses a 'fictitious' firmware version.

What is the issue?

Installations of a SMETS1 PPMID in a SMETS2+ Smart Metering System or vice versa may result in aborted installations, cause inconvenience to the consumer, and possibly waste Devices.

The DCC understands that the tactical interim solution creates logistical complications for Suppliers where they must ensure that the correct PPMID is joined to an installation of the same SMETS version even though the Devices are identical. The result of incorrect installation would be that the PPMID cannot be the target of any Service Requests.

The DCC has several Users who have indicated they would like to use the same PPMID model across SMETS1 and SMETS2+ Devices.

The benefit of this modification for Suppliers will mean the tactical interim solution will be replaced with an enduring solution, and chance of failed installation and commission will be reduced.

What is the impact this is having?

Currently this issue is not impacting the DCC due to a tactical interim solution which has been put in place. However, this is impacting Suppliers as they are responsible for handling the PPMID and must ensure that the correct version of the PPMID is pre-notified and that the correct SMETS version is installed. If the Supplier encounters an issue with the process, it must contact the DCC for manual Smart Metering Inventory (SMI) changes following an unsuccessful installation.

There are two known Suppliers who are impacted by this issue and a reported six million Devices which are impacted, but it is anticipated this number will increase in the future. This also impacts PPMID manufacturers and any future Users of PPMIDs that could work with both versions, for instance following a Change of Supplier (CoS). A more enduring solution would better resolve this issue in the longer-term.

¹ <https://www.smartdcc.co.uk/customer-engagement/smets1-consultation-on-changes-related-to-ppmids-and-chs/>

² <https://www.smartdcc.co.uk/consultations/dcc-response-to-its-smets1-consultation-on-changes-related-to-ppmids-and-chs/>

Impact on consumers

Suppliers will need to ensure they are installing the correct SMETS Device at a premise. If an incorrect Device is installed this will need to be physically replaced which will cause inconvenience to consumers and impact the reputation of the Smart Meter Installation Programme (SMIP). There is also an issue where Suppliers who gain these Devices on CoS cannot communicate with them or carry out firmware updates. This will result in consumer PPMIDs not being able to be upgraded accordingly.

Resolving this issue would benefit consumers as it will support greater energy efficiency and cost saving for Suppliers. The Suppliers could install the same model of PPMID on any installation, which will improve efficiency in Suppliers' metering operations, which they can pass on to consumers.

3. Solution

Currently, the Primary Key (comprising of Firmware Version, Device Model, Device Type and the Manufacturer ID) held in the CPL can only accept one record for each firmware version.

The Proposed Solution involves having two rows of the same firmware version for a Device Model included in the CPL: one row for SMETS1 and the other for SMETS2. The data received via the CPL is stored in the Firmware Version table in the SMI.

Devices can be pre-notified as a SMETS1 or SMETS2+, but the Data Service Provider (DSP) will use the SMETS version of the Communications Hub (CH) from the relevant SMS to determine which version of SMETS the system is and update the SMI accordingly.

This table shows how this solution will work, with the assumption that all models exist in the CPL.

PPMID SMETS versioning		
PPMID SMETS Version in SMI as per pre-notification	CH SMETS version as per pre-whitelisting	Resulting PPMID SMETS version in SMI
SMETS1	SMETS1	SMETS1
SMETS1	SMETS2+	SMETS2+
SMETS2+	SMETS1	SMETS1
SMETS2+	SMETS2+	SMETS2+

4. Impacts

This section summarises the impacts that would arise from the implementation of this modification.

SEC Parties

SEC Party Categories impacted			
✓	Large Suppliers	✓	Small Suppliers
	Electricity Network Operators		Gas Network Operators
✓	Other SEC Parties	✓	DCC

Breakdown of Other SEC Party types impacted			
	Shared Resource Providers	✓	Meter Installers
✓	Device Manufacturers		Flexibility Providers

Suppliers and the Meter Installers who work on their behalf will be able to install the same model of PPMID during any installation. This will improve efficiency in Suppliers' metering operations, which they can then pass onto consumers. Suppliers will also benefit as they will not need to ensure the PPMID is pre-notified to a certain SMETS version and that selected version is installed.

Device Manufactures are impacted as they can produce PPMIDs which work for both versions, rather than separate Devices for SMETS1 and SMETS2+

DCC System

There will be changes in the DCC User Interface Specification (DUIS) and corresponding changes in the DCC User Gateway Interface Design Specification (DUGIDS) for the changes in DUIS. No infrastructure impacts are expected from this modification.

The changes in this modification are not expected to alter traffic volumes significantly, nor to add to message processing time. No changes to Service Level Agreements (SLAs) or reporting are expected because of this change.

The full impacts on DCC Systems and DCC's proposed testing approach can be found in the DCC Preliminary Assessment response in Annex C.

SEC and subsidiary documents

The following parts of the SEC will be impacted:

- Appendix Z 'CPL Requirements Document'
- Appendix AD 'DCC User Interface Specification' (DUIS)
- Schedule 11 'Technical Specification Applicability Tables' (TSAT)

The changes to the SEC required to deliver the proposed solution can be found in Annex B.

Devices

Devices impacted			
	Electricity Smart Metering Equipment		Gas Smart Metering Equipment
	Communications Hubs		Gas Proxy Functions
	In-Home Displays	✓	Prepayment Meter Interface Devices
	Standalone Auxiliary Proportional Controllers		Home Area Network Connected Auxiliary Load Control Switches
	Consumer Access Devices		Alternative Home Area Network Devices

Some versions of PPMID can currently act as a 'bilingual' device, however the SEC does not allow a Device to work as both a SMETS1 and a SMETS2+ Device. This modification will allow PPMIDs that can behave as SMETS1 and SMETS2+ to work in such a manner.

Consumers

Suppliers currently need to ensure they are installing the correct SMETS Device at a premise. If an incorrect Device is installed this will need to be physically replaced which will cause inconvenience to consumers and impact the reputation of the SMIP. There is also an issue where Suppliers who gain these Devices on CoS cannot communicate with them or carry out firmware updates. This will result in consumer PPMIDs not being able to be upgraded accordingly.

Resolving this issue would benefit consumers as it will support greater energy efficiency and cost saving for Suppliers.

Other industry Codes

There are no cross-Code impacts from associated with implementation of this modification.

Greenhouse gas emissions

This modification has neutral impact on Greenhouse gas emissions.

5. Costs

DCC costs

The DCC implementation costs for this modification are dependent on which SEC Release MP202 is included in.

If MP202 was implemented as a standalone modification in a SEC Release, it would cost £758,522. This includes costs of £393,522 for Design, Build and Pre-Integration Testing (PIT), with post-PIT costs of £365,000.

Should MP202 be included in the June 2023 SEC Release this modification will cost £503,552. This is because it will be implemented alongside [MP162 'SEC Changes required to deliver MHHS'](#). The June 2024 Release contains two components of the Market-Wide Half Hourly Settlement (MHHS), the new MDR User Role and the capacity uplift associated with the new MHHS functionality. The DCC believes there will be significant post-Pre-Integration Testing (PIT) costs for the SEC Release, with a corresponding significant reduction in post-PIT costs for this modification. As such, if MP202 is included in the June 2024 SEC Release the costs for Design, Build and PIT remain the same (£393,522), but the post-PIT costs have been reduced to £110,000.

The breakdown of these costs are as follows:

Breakdown of DCC implementation costs	
Activity	Cost
Design, Build and PIT	£393,522
Systems Integration Testing (SIT)	£283,714
User Integration Testing (UIT)	£72,126
TTO	£9,160

More information can be found in the DCC Impact Assessment response in Annex C.

SECAS costs

The estimated SECAS implementation cost to implement this as a stand-alone modification is two days of effort, amounting to approximately £1,200. This cost will be reassessed when combining this modification in a scheduled SEC Release. The activities needed to be undertaken for this are:

- Updating the SEC and releasing the new version to the industry.
- Updating the CPL.

6. Implementation approach

Recommended implementation approach

SECAS is recommending an implementation date of:

- **29 June 2024 (June 2024 SEC Release)** if a decision to approve is received on or before 21 June 2023;
- **17 June 2025 (June 2025 SEC Release)** if a decision to approve is received after 21 June 2023 but on or before 16 June 2024.

An 11-month lead time is required for implementation of this modification.

7. Assessment of the proposal

Observations on the issue

Cost of MP202 in DCC Assessments

When the Preliminary Assessment was presented to the Technical Architecture and Business Architecture Sub-Committee (TABASC) members questioned how the modification had potential to cost up to £750,000. In particular, they noted that this was a high cost given the solution to this modification involves adding additional lines of information to the CPL. Now the Impact Assessment has been returned, SECAS can confirm that a large amount of the initially estimated £750,000 is due to testing, as the cost of MP202 varies depending on if this modification is implemented alongside MP162.

Solution Development

OTA SMETS1 Firmware upgrades

Whilst conducting the Impact Assessment, the DCC contacted SECAS to highlight a consequential impact from implementation of business requirement 7. The requirement will only allow Over-the-air (OTA) firmware upgrades to dual mode PPMIDs which are enrolled in SMETS2+ Smart Metering Systems. Because of this action, OTA firmware upgrades would no longer be available to PPMIDs enrolled in SMETS1 SMS.

The DCC presented MP202 to the March Working Group for comment to see which SEC Parties would be impacted by this change. One member who is a Device Manufacturer said they would prefer to keep the existing arrangements.

SECAS and the DCC discussed the impact of this change and whether there should be any alteration of requirement 7. If OTA firmware upgrades were allowed to PPMIDs enrolled in SMETS1 SMS, then this would require an S1SR specific piece of information in OTA firmware payloads. This would require three entries on the CPL for SMETS1 Devices. This would lead to four different entries on the CPL, rather than the two as part of the solution for this modification. In addition, the DCC System is currently unable to distinguish the three SMETS1 CPL entries apart. This would require a new process to be developed alongside this modification to enable the CPL entries to be identifiable from one another. In addition, another business requirement for this modification is to allow the DCC

System to be able to distinguish between a single SMETS1 and a single SMETS2 entry for the same PPMID entry.

Having four different entries on the CPL would require the installing party to note which variant is required at every premises. This would cause problems during installations as the correct firmware would need to be sent to the PPMID. Only one firmware image can be included in the Service Request which distributes the firmware to the PPMID, which would require the DCC to flag and reject those PPMIDs which cannot handle the selected firmware image. This process does not currently exist and is not proposed to be introduced by MP202.

As a result of this discussion, SECAS and the DCC agreed not to alter Requirement 7 and continue with the Impact Assessment. The DCC confirmed that a DCC internal Change Request had been raised to examine the issue of firmware upgrades to PPMIDs in a SMETS1 SMS and this could be resolved outside the scope of this modification.

The DCC agreed to make the discussions on Requirement 7 clear in the DCC Impact Assessment.

Pre-notification of Devices

Working Group members queried whether a different approach would be needed when pre-notifying a Device before an installation. SECAS confirmed that if MP202 is approved then they should adopt the same approach as they currently do.

8. Case for change

Business case

Currently, the DCC is using a tactical interim solution to resolve this issue. This enduring solution was proposed to resolve continuing logistical issues with the tactical solution.

Feedback gained during the Refinement Stage from the TABASC and the Working Group has highlighted Parties feel the costs raised in the Preliminary Assessment are high.

Suppliers will benefit as they will be able to install PPMIDs more efficiently, without potential install and commission errors and increased times at installs. Consumers will benefit as it is more likely that they will receive a fully working PPMID.

Number of Devices impacted

During the Working Group and TABASC meetings, members queried how many Devices could be impacted if this modification was approved. SECAS received figures from the DCC which show 200,700 unmigrated Devices that have a bilingual PPMID from one Manufacturer. During the Refinement Process two Large Suppliers noted that up to six million Devices are impacted, but anticipated that further Devices would be impacted. A Working Group member shared this view, noting that the rise in energy bills may lead to an increase in the number of prepayment customers, and in turn the number of customers needing PPMIDs.

Views against the General SEC Objectives

Proposer's views

The Proposer believes that this modification will better facilitate SEC Objective (a)³ as it will allow these multifunctional PPMIDs to be installed more easily and with fewer install and commission failures.

Industry views

SECAS received five responses to the Refinement Consultation, four from Large Suppliers and one from a Network Party.

The Network Party respondent supported the modification, with little further comment. One Large Supplier was also supportive, noting only that the legal text could be amended to include clarity over the CPL entry using the SMETS1 and SMETS2+ values for Communications Hub Technical Specifications (CHTS) version and GBCS version respectively.

The second Large Supplier was supportive of the modification, however highlighted several issues they would like clarifying. They sought to find out the precise reason why the current DCC tactical interim solution does not work and the reasoning as to why this hasn't been fixed. They also noted the implementation timeline for this modification and that this is a long time to wait for a change if the current solution doesn't work. The costs presented in the DCC Preliminary Assessment were also discussed, with this Supplier seeking to find out exactly what changes are taking place to justify the potential costs of between £350,000 and £750,000. This Large Supplier also noted that if this is an issue with the CPL, this should be paid for by SECAS and the DCC, rather than by SEC Parties.

The third Large Supplier was unsupportive of this modification given the costs in the DCC Preliminary Assessment and the lack of benefits they felt they would receive. They also questioned whether the figure of six million Devices that could be impacted was correct.

The fourth Large Supplier was not supportive of this modification. They stated that the issue identified in this modification could be fixed by Supplier implementation changes, rather than this modification. They questioned whether the costs were valuable given the implementation timeline highlighted in this modification report.

The full responses to the Refinement Consultation can be found in Annex D.

Request for Information

To gauge if this issue was impacting many SEC Parties, SECAS issued a Request for Information, which received three responses. Two Parties noted that they did not have an issue with the current process, one of which was because the respondent did not yet have stock of PPMIDs which could be used for both SMETS1 and SMETS2+ installations. One Party noted they would like to see MP202 implemented because of the time and effort involved in updating firmware on Devices and segregating PPMIDs for installs. They added that due to the risk of delayed delivery of replacement Devices whilst firmware is being updated, customers may experience long waits which results in them missing out on energy savings benefits.

³ Facilitate the efficient provision, installation, operation and interoperability of smart metering systems at energy consumers' premises within Great Britain.

Views against the consumer areas

Improved safety and reliability

This modification will improve reliability as there is less likely to be install and commission failures with these PPMIDs.

Lower bills than would otherwise be the case

This modification could assist consumers manage their usage by ensuring they receive a working PPMID after a metering installation.

Reduced environmental damage

This modification has a neutral impact on reduced environmental damage.

Improved quality of service

This modification would improve the quality of service that Suppliers provide their consumers.

Benefits for society as a whole

This modification has a neutral impact on benefits for society as a whole.

Appendix 1: Progression timetable

Timetable	
Event/Action	Date
Draft Proposal raised	8 Mar 2022
Presented to CSC for initial comment	15 Mar 2022
CSC converts Draft Proposal to Modification Proposal	19 Apr 2022
Business requirements developed with Proposer and DCC	19 Apr – 1 May 2022
Preliminary Assessment requested	28 Sep 2022
Preliminary Assessment returned	21 Oct 2022
Modification discussed with TABASC	1 Dec 2022
Modification discussed with Working Group	7 Dec 2022
Refinement Consultation	20 Dec 2022 – 13 Jan 2023
Impact Assessment costs approved by Change Board	25 Jan 2023
Impact Assessment requested	25 Jan 2023
Impact Assessment returned	11 May 2023
Modification discussed with TABASC	1 Jun 2023

Timetable	
Event/Action	Date
Modification discussed with Working Group	7 Jun 2023
Modification Report approved by CSC	20 Jun 2023
Modification Report Consultation	21 Jun 2023 – 12 Jul 2023
Change Board Vote	26 Jul 2023

Italics denote planned events that could be subject to change

Appendix 2: Glossary

This table lists all the acronyms used in this document and the full term they are an abbreviation for.

Glossary	
Acronym	Full term
CHTS	Communications Hub Technical Specification
CoS	Change of Supply
CPL	Central Products List
CSC	Change Sub-Committee
DCC	Data Communications Company
DSP	Data Service Provider
DUGIDS	DCC User Gateway Interface Design Specification
DUIS	DCC User Interface Specification
GBCS	Great Britain Companion Specification
MHHS	Market-Wide Half Hourly Settlement
OTA	Over-the-air
PIT	Pre-Integration Testing
PPMID	Pre-Payment Interface Device
RFI	Request for Information
S1SP	SMETS1 Service Provider
SEC	Smart Energy Code
SECAS	Smart Energy Code Administrator and Secretariat
SIT	Systems Integration Testing
SLA	Service Level Agreements
SMETS	Smart Metering Equipment Technical Specifications
SMI	Smart Metering Inventory
SMIP	Smart Meter Installation Programme
SMS	Smart Metering System
TABASC	Technical Architecture and Business Architecture Sub-Committee
TSAT	Technical Specification Applicability Tables

Glossary	
Acronym	Full term
UIT	User Integration Testing